



अखिल भारतीय तकनीकी शिक्षा परिषद्  
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION  
(भारत सरकार का एक सांविधिक निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F.No.KA-05/ET-MBA/2000  
Date: 15/05/2006

To,  
The Secretary Education Dept.,  
Govt. of Karnataka, M.S. Building,  
Bangalore - 560001 (Karnataka)

Sub: Extension of approval to Seshadripuram First Grade College No. 26, C.A.Site, New Town, Yelahanka, Bangalore - 560 064 Bangalore for the academic year 2006-07.

Sir,  
As per the Regulations notified by the Council vide F.No. 37-3/Legal/2004 dated 28<sup>th</sup> November 2005 and norms, standards, procedures and conditions prescribed by the Council from time to time and based on the recommendations of Appraisal Committee / Expert Committee, I am directed to convey the extension of approval of the Council to Seshadripuram First Grade College No. 26, C.A.Site, New Town, Yelahanka, Bangalore - 560 064 Bangalore for conduct of the following courses with the intake indicated below:

Name of the Course(s)	Existing Intake	Revised Intake	Period of approval
MBA-FT	40	40	2006-2007

The above approval is subject to rectification of the following observations / deficiencies / specific conditions by 31<sup>st</sup> August 2006.

**Built up area :**

- ❖ There is a shortfall of 11.7 sq. mt. in the built up area as only 820.30 sq. mt. is available against a requirement of 832 sq.mt. (deficiency 01.406 %).

**Important Note: (1 and 2 are case specific)**

It has come to the notice of the Council that several unapproved courses are being conducted by the institution (Annexure-1). The institution is advised to apply for AICTE approval for unapproved courses/ programmes in the field of Technical Education as per the regulations notified by the Council vide Notification No. F.37-3/Legal/2004 dated 28<sup>th</sup> November 2005 by 23<sup>rd</sup> June 2006 or discontinue conduct of all such unapproved courses/ programmes with immediate effect, failing which this extension of approval for the year 2006-2007 stands withdrawn and further appropriate action shall be initiated against the Institution.

**Note: The mandatory disclosure in prescribed format if not hosted on the website should be hosted by 31<sup>st</sup> May, 2006, failing which action would be initiated as per the rules and regulations of the AICTE including Non Admission / Withdrawal of approval.**

The institution is required to submit two copies of the Compliance Report, indicating the rectification of deficiencies along with mandatory disclosure and details of faculty recruited for each course in the prescribed format (available at E Website [www.aicte.ernet.in](http://www.aicte.ernet.in)) to the concerned Regional Office latest by 31<sup>st</sup> August 2006 for consideration of approval beyond the session 2006-07.

The Compliance Report must be accompanied with a processing fee of Rs. 40,000/- in the form of demand draft in the favour of Member Secretary, AICTE, payable at New Delhi. In the absence of processing fee the Compliance Report will not be entertained. Following the Compliance report, the Council would verify the status in respect of rectification of deficiencies through surprise random inspection without any prior notice.

The above approval if granted after rectification of deficiencies would be subject to the fulfillment of the following general conditions:

- 1 That the management shall provide adequate funds for development of land and for providing related infrastructural, instructional and other facilities as per norms and standards laid down by the Council from time to time and for meeting recurring expenditure.
2. (a) That the admission shall be made only after adequate infrastructure and all other facilities are provided as per norms and guidelines of the AICTE.

इंदिरा गांधी खेल परिसर, इन्द्रप्रस्थ एस्टेट, नई दिल्ली - 110002  
Indira Gandhi Sports Complex, I. P. Estate, New Delhi-110 002  
दूरभाष / Phone : 23392506, 63-65-68, 71, 73-75 फैक्स / Fax : 011-23392554  
वेबसाइट / Website : [www.aicte.ernet.in](http://www.aicte.ernet.in)

19/11/06